

SAFETY LINES

STRANDS AND WIRE ROPES FOR SAFETY LINES

Safety strands and wire ropes for working at heights

TECHNICAL FEATURES OF THE MATERIALS

GALVANIZED STEEL STRANDS AND WIRE ROPES

Characteristics	Value
Diameters	from 6,00 to 10,00 mm
Tensile strength	from 1570 to 1960 N/mm ²
Class and mass of coating	A > from 85 to 195 g/m ² B > from 40 to 100 g/m ²
MBL	> 23 kN
Standards	EN 12385-4


ZINC-ALUMINIUM STEEL STRANDS AND WIRE ROPES

Characteristics	Value
Diameters	from 6,00 to 10,00 mm
Tensile strength	from 1570 to 1770 N/mm ²
Class and mass of coating	A > from 85 to 195 g/m ² B > from 40 to 100 g/m ²
MBL	> 23 kN
Standards	EN 12385-4

AISI 316 STAINLESS STEEL STRANDS AND WIRE ROPES

Characteristics	Value
Diameters	from 6,00 to 10,00 mm
Tensile strength	1570 N/mm ²
MBL	> 20 kN
Standards	EN 12385-4


PACKAGING



STRANDS AND WIRE ROPES

- Wooden reels from 500 to 2000 m
- Coils from 40 to 90 kg


CONSTRUCTIONS



STRANDS
1x19



WIRE ROPES
7x7



WIRE ROPES
7x19



WIRE ROPES
19x7

